8598941/2024/VIGILANCE-I-ICD01

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

PS- Water Resources Department- Allegation of irregularities in execution of the work " Raising and widening of flood bank from Yanam to Tallarevu form km 0.000 to km 5.800 to 1986 flood standards" in East Godavari District- Disciplinary Proceedings initiated against Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram – Enquiry conducted- Charges proved - imposition of penalty of withholding Three (3) Annual Grade increments with cumulative effect on future increments and pension - Orders – Issued

---

WATER RESOURCES(VIG.I) DEPARTMENT

G.O.Rt.No.82. Dated:21/02/2024

Read the following:

1. From the DG,V&E, Vigilance Report No.29 (C.No.424/V&E/E1/2013, Dt.25.03.2015.
2. G.O.Rt.No.174, WR (Vig.II) Dept., dt.02.03.2016.
3. From Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram, Written Statement of Defence, dt.nil.
4. G.O.Rt.No.496, WR (Vig.II) Dept., dt.06.09.2017.
5. From S.Sugunakar Rao, Chief Engineer, Quality Control, Dowlaiswaram& Inquiring Authority, Lr.No.CE.QCW/AR/Dowlm/Enquiries/DEE/AEE-5/6C,Dt.06.11.2017.
6. Govt., Memo NO.5379/Vig.II/2015-16,dt.10.08.2018.
7. From Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram, explanation, dt.01.11.2019.

******

ORDER:

Based on the recommendations of the DG,V&E in the report 1st read above, Disciplinary proceedings were initiated against Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram in respect of "Allegation of irregularities in execution of the work " Raising and widening of flood bank from Yanam to Tallarevu form km 0.000 to km 5.800 to 1986 flood standards" in East Godavari District" vide G.O.2nd read above.

2. In the letter 3rd read above, the Charged Ofcer has submitted the Written Statement of defence denying the charges framed against him.

3. Govt., after examination of the Written Statement of defence of the Charged officer, have decided to conduct Departmental Enquiry into the charges framed against Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram and others. Accordingly, appointed the Chief Engineer, Quality Control, Dowlaiswaram as Enquiry Officer to enquire into the charges framed against Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram and others vide G.O.4th read above.

4. In the letter 5th read above, the Enquiry Officer has submitted the Enquiry Report, stating that out of Four charges, Three(3) Charges are held proved against Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram.

5. In the Memo 6th read above, the Enquiry Report along with disagreement factors have been communicated to the Charged Ofcer under Rule 21 (2) of A.P. Civil Services (Classification, Control & Appeal) Rules, 1991 with a direction to submit his representation in the matter.

6. In the letter 7th read above, the Charged Officer has submitted his explanation with a request to drop further action against him.

(p.t.o)

8598941/2024/VIGILANCE-I-ICD01

7. Govt., after careful examination of the matter hereby decided and impose the penalty of withholding Three (3) Annual Grade increments with cumulative effect on future increments and pension against Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division, Dowliaswaram in this matter.

8. The Engineer-in-Chief(AW), water Resources Department, Vijayawada, shall take necessary action accordingly in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR I A S,
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri K.Ramana, the then Executive Engineer, Godavari Eastern Division,
Dowliaswaram (through, Engineer-in-Chief(AW), WRD, Vijayawada)
The Engineer-in-Chief(AW), water Resources Department, Vijayawada.
The Secretary to Vigilance Commission, Andhra Pradesh Vigilance Commission,
Velagapudi.
The Director General, V&E, NTR Bus station Vijayawada.
SF/SC

///FORWARDED::BY ORDER//

SECTION OFFICER